


FIȘĂ TEHNICĂ

Luxa Aperio 800 Retractable Louvre Roof System

A retractable louvre roof that does what fixed-blade systems can't – slide the louvres aside and the sky comes back.

SKU LS-LRS800 CODE LRS 800 DE LA €7,990

LUXASHADE BY PONARC



Caracteristici principale

- ▶ Fully retractable louvre blades
- ▶ Open-sky capability
- ▶ Motorised operation
- ▶ All-aluminium construction
- ▶ Four-season weather protection
- ▶ Natural light and ventilation control
- ▶ TIGER Coatings powder coat
- ▶ Any RAL colour
- ▶ 98% recyclable aluminium
- ▶ Fade and wear resistant

Specificații tehnice

Material	Solid aluminium alloy (blades, rails, posts)
Blade Type	Fully retractable (slide and stack)
Surface Finish	TIGER Coatings powder coat, any RAL colour
Control	Motorised retractable mechanism

Climate Control

Natural regulation of light, airflow, and temperature

Weather Protection

Full closure for rain, wind, and adverse conditions

Durability

Fade-resistant, wear-resistant, corrosion-resistant

Recyclability

98% recyclable aluminium

■ Standarde & certificări

EN 1991-1-1 · Densities, self-weight, imposed loads

EN 1991-1-3 · Snow loads

EN 1991-1-4 · Wind actions

EN 1090-3 · Execution of aluminium structures

EN 12020-2 · Aluminium extrusion tolerances

Qualicoat Class 2 · TIGER Coatings powder coat

EN AW-6063-T5 · Aluminium alloy / temper

ISO 9001 · Manufacturer quality management

■ Garanție

10 ani pe cadrul de aluminiu · 5 ani pe vopseaua TIGER · 5 ani pe motor (acolo unde este montat). Condiții: instalare în 12 luni de la livrare, respectarea manualului de instalare, respectarea sarcinilor de vânt/zăpadă specificate.

■ Comenzi & suport

PONARC Group · Vânzări: info@luxashade.com · Proiectanți / arhitecți: support@ponarc.com · Disponibil în DE / AT / CH / NL / BE / FR / IT / RO / RU / SE / DK.

© PONARC GROUP · LUXASHADE

PN-DS-LUXA-800-R0 · Rev. 01 – 2026-05-03

01 / 01

PAGINA

